

TECHNISCHE SPECS – REGIEWAGEN - DE BUZ 2.0



Regiewagen: Mercedes Vario 816D

Kenteken: 34-BRV-3

L x B x H: 6,5m x 2,35m x 3,35m

Opstelruimte: 8,0m x 4,0m x 3,35m

Gewicht: 6,5 ton

Spanning benodigd:

1 x 32A 400V krachtstroom *of* 2 x 230V 16A vrije groep CEE-form

1x 35 meter 32A stroomkabel aanwezig met verdeelkast 32A naar 230V

Galvanisch gescheiden stroomvoorziening middels transformator.

Volledig geïsoleerde en akoestisch ingerichte ruimte. Inclusief airconditioning.

Werkplekken voorzien van netwerk, SDI, stroom en intercom

1 regisseur/schakeltechnicus

1 schakeltechnicus/regieassistent

1 graphics operator

1 audiatechnicus

1 beeldtechnicus

Alle videoapparatuur benaderbaar via geïntegreerd netwerk.

WiFi in de wagen.

WiFi op de vloer.

Software: BlackMagic, V-Mix Pro, DaVinci Resolve, Adobe Premiere Pro, Reaper, Studio One, Newtek NDI, Zoom licentie, Vimeo licentie, YouTube toegang, QLab, Streamdecks

Optioneel: 1 4G router-zender set. Inzetbaar indien er geen vast internet beschikbaar is.

Video/beeld:

Blackmagic Constellation 8K

- 40 x 12G-SDI input HD/Ultra HD switchable
- 24 x 12G-SDI Aux outputs HD/Ultra HD switchable
- 4 x DVE
- 16 x Atem advanced Chroma keys
- 4 x independent Ultra HD Multi viewers
- 2 x Super Source processors
- Standard conversion on all inputs
- 1 x MADI in, 2 x MADI out
- 2 x Analog TSR input
- 2 x Analog TSR output

Blackmagic Hyperdeck Studio 12G

- SSD Recording
- SD/HD/Ultra HD recording
- ProRes 422, ProRes 422 LT, ProRes 422 Proxy for longer recording

Blackmagic Hyperdeck Studio HD Mini

- SD Card recording
- HD recording
- ProRes, DnxHD, H.264

Blackmagic 2 M/E Advanced Panel

Blackmagic Atem Camera Control Panel t.b.v. shading

Blackmagic Design URSA G2 Camera's (4)

- Met grote en kleine viewfinder
- Retour afkijk
- Tally
- Zoom en Focus Remote controls
- Shading

GoPro action cams (2)

Optioneel: wireless camera set, cranes, rails, steady cam, drone, o.a. 86x Canon HD Lange lens pakket

Statieven: Vinten, Manfrotto en CamGear

4 Multiview afkijk

Atomos Sumo 19" afkijk (t.b.v. shading)

Duo afkijk met Scope functies

1 PC V-Mix t.b.v. titels, graphics, instarts, animaties en backup recording, inclusief SDI capture card.

1 PC V-Mix t.b.v. Streaming en backup recording, inclusief SDI capture card.

1 PC V-Mix t.b.v. Replay

Set converters: SDI/HDMI, HDMI/SDI, Cross converters, HDMI splitters, SDI audio embedders- deembedders, SDI audio de-embedder, Decimators

Fiber setup:

1 Blackmagic Design ATEM Talkback Converter 4K

- 8 Dualcore Singlemode fiber connecties.

8 Blackmagic Design Mini Converter Optical Fiber 12G

- converts SDI signals to optical signals and optical to SDI signals simultaneously and in both directions

Inclusief fiber bekabeling van Fieldcast.

Audio:

Soundcraft Vi7000 128ch@48kHz/64ch@96kHz

1 Stagerack

- 64 ch in
- 32 ch analog out

1 SSL XLogic Alpha-Link Madi SX

2 RME USB Madiface, coaxial-optisch-USB in/out

1 Direct Out EXBOX.MD Madi-Dante converter met SRC

Afluistering: NOB/BNS

Recording/multitrack MacStudio

- 56 ch via Digico UB MADI of 64/128 ch via Dante DVS

Intercom: ASL Flexus 18 groups met 4 regieposten en 6 beltpacks

Optioneel: 1 Telex wireless intercom set met 4 beltpacks

Optioneel: Shure PSM900 wireless inear systeem met 2 beltpacks

Optioneel: Sennheiser 6000 zender/ontvanger set met SKM6000 BK A1-A4 digital handheld transmitters met MM435 koppen en SK 6212 A1-A4 Ultra-light, digitalmini-bodypacks met Lemo-3, MKE40 of Headset 4

Outboard:

- 1 SPL 4ch Transient Designer
- 1 Universal Audio 4-710d 4 channel mic preamp, 8 line inputs, 4 line outputs, 8 ch Adat output, Word clock In/Out
- 1 TC Electronic M5000 Reverb, fully loaded. 2x AES/EBU in-out card, 2x Analog in-out

- 1 Avalon VT 747 Sp Stereo Tube Opto compressor
- 2 Jünger B42 Digital 4ch Dynamics processor
- 1 DBX 162 stereo compressor limiter
- 1 Waves MaxxBCL
- 1 Yamaha AD8HR AD converter. 8ch mic/line preamp met digitale conversie naar AES/EBU
- 1 Focusrite Platinum Compounder

1 Orban Optimod PCIe card

1 Microfoonset:

AKG 460EB, 586B, C414, CK451

Beyer Dynamics TG-V70

Lewitt MTP 550-DM

Neumann U87i, KM84, KM184,

Schoeps CMT 541

Audix D6, D2, D4, SCX25, SCX1, i5, Micro-D

Sennheiser MKH416, MD421, MD441, MD609, MD605

Shure SM58, SM57, B91,

RØDE NT

Inclusief benodigde bekabeling en microfoon statieven.

Foto's op de volgende pagina's!

